

# ▼ Plot Information - Chenoa

Planting date: May 11, 2007  
 Planting population: 200,000  
 Insecticide: Warrior, Lorsban

Harvest date: October 8, 2007  
 Herbicide: Roundup  
 Fungicide: Headline

Row width: 7  
 Soil test: 6.2-115-561

# SOYBEAN VARIETY PLOT

Hybrid	Moisture	Actual Yield	+/- Tester	Adjusted Yield	Gross \$ - Drying	Rank
Tester - Pioneer 92M10	12.0%	66.1				
Horizon H296N	12.2%	76.3	10.2	76.5	\$688.91	2
Asgrow 2802	11.8%	66.3	1.3	67.6	\$608.81	17
Heritage/Diener 2915CR	12.0%	69.3	5.4	71.7	\$645.71	7
Tester - Pioneer 92M10	12.0%	63.9				
G. H. NK S29-J6	11.6%	70.4	6.5	72.8	\$655.61	5
Crows CV 301	12.0%	59.5	-2.8	63.5	\$571.91	24
Wilken 2792N	12.3%	69.4	8.7	75.1	\$675.41	3
Tester - Pioneer 92M10	12.4%	60.7				
Heritage/Diener 3120CR	12.2%	72.3	11.6	77.9	\$701.51	1
Hoblit HB312N	12.3%	63.6	-1.1	65.2	\$587.21	23
Crows CV 311	12.3%	65.3	-3.4	62.9	\$566.51	25
Tester - Pioneer 92M10	12.3%	68.7				
Asgrow 3203	12.5%	70.8	2.1	68.4	\$616.01	12
Heritage/Diener 3277CR	12.5%	74.0	3.6	69.9	\$629.51	9
G. H. NK S33-T4	12.2%	65.0	-7.1	59.2	\$533.21	30
Tester - Pioneer 92M10	12.6%	72.1				
Stone 2344	12.5%	73.4	1.3	67.6	\$608.81	16
Hoblit HB342N	12.5%	70.7	1.8	68.1	\$613.31	13
Horizon H340N	12.4%	71.8	6.1	72.4	\$652.01	6
Tester - Pioneer 92M10	12.5%	65.7				
Pioneer 93M42	12.6%	66.4	0.7	67.1	\$603.41	20
Heritage/Diener 3484CR	12.5%	68.4	1.8	68.1	\$613.31	14
Wilken 3413N	13.1%	63.7	-3.8	62.5	\$562.91	27
Tester - Pioneer 92M10	12.9%	67.5				
Stone 2356N	13.1%	68.4	0.9	67.2	\$605.21	18
Hoblit HB355N	13.1%	71.1	3.7	70.1	\$630.41	9
Pioneer 93M61	13.4%	67.3	0.0	66.3	\$597.11	21
Tester - Pioneer 92M10	13.1%	67.3				
Asgrow 3602	12.7%	63.7	-3.6	62.7	\$564.71	26
Wilken 3434N	12.7%	70.9	5.0	71.3	\$641.66	8
Horizon 356N	13.0%	71.1	6.5	72.8	\$655.61	4
Tester - Pioneer 92M10	13.0%	64.6				
G.H. NK S37-P5	13.3%	67.5	2.9	69.2	\$623.21	11
Asgrow 3705	13.3%	67.7	0.8	67.1	\$603.86	19
Horizon 378N	13.3%	63.2	-6.1	60.2	\$542.21	28
Tester - Pioneer 92M10	13.3%	69.3				
Wilken 3488N	13.4%	60.3	-6.3	60.1	\$540.41	29
G. H. NK S39-A6	13.8%	68.2	1.6	67.9	\$611.51	15
Tester - Pioneer 92M10	14.0%	63.9				
Pioneer 93M10 Average	12.7%	66.3		66.3	\$597.11	21
<b>Tester Maximum</b>	14.0%	72.1				
<b>Tester Minimum</b>	12.0%	60.7				
<b>Tester Variance</b>	2.0%	11.4				
<b>Plot Average</b>	12.7%	67.6				

© 2007 Heartland Bank and Trust Company