

# ▼ Plot Information - Hudson

Planting date: May 10, 2007  
 Planting population: 175,000  
 Insecticide: Warrior, Lorsban

Harvest date: October 1, 2007  
 Herbicide: Roundup

Row width: 15  
 Soil test: 6.6-64-324

# SOYBEAN VARIETY PLOT

Hybrid	Moisture	Actual Yield	+/- Tester	Adjusted Yield	Gross \$ - Drying	Rank
Tester - Pioneer 92M10	13.4%	63.7				
Horizon H296N	13.9%	68.1	4.4	65.4	\$588.93	17
Asgrow 2802	13.5%	62.4	0.8	61.8	\$556.53	25
Heritage/Diener 2915CR	13.7%	64.8	5.3	66.3	\$597.03	13
Tester - Pioneer 92M10	13.5%	59.5				
G. H. NK S29-J6	12.4%	63.6	4.1	65.1	\$586.23	19
Crows CV 301	12.6%	56.6	-3.8	57.2	\$515.13	30
Wilken 2792N	13.8%	62.0	0.7	61.7	\$555.63	26
Tester - Pioneer 92M10	13.2%	61.3				
Heritage/Diener 3120CR	13.5%	63.9	2.6	63.6	\$572.73	21
Hoblit HB312N	13.5%	68.4	6.6	67.6	\$608.28	10
Crows CV 311	13.2%	60.0	-2.4	58.6	\$527.73	29
Tester - Pioneer 92M10	12.9%	62.4				
Asgrow 3203	13.0%	66.1	3.7	64.7	\$582.63	20
Heritage/Diener 3277CR	13.1%	69.7	7.9	68.9	\$619.98	5
G. H. NK S33-T4	12.8%	62.8	1.5	62.5	\$562.83	23
Tester - Pioneer 92M10	12.9%	61.3				
Stone 2344	12.9%	68.0	6.7	67.7	\$609.63	9
Hoblit HB342N	12.5%	66.5	5.2	66.2	\$596.13	14
Horizon H340N	12.7%	65.7	4.4	65.4	\$588.93	17
Tester - Pioneer 92M10	13.0%	61.3				
Pioneer 93M42	12.3%	70.3	9.0	70.0	\$630.33	1
Heritage/Diener 3484CR	12.3%	66.3	6.4	67.4	\$606.93	11
Wilken 3413N	13.0%	63.2	4.7	65.7	\$591.63	16
Tester - Pioneer 92M10	12.7%	58.5				
Stone 2356N	12.4%	65.5	7.0	68.0	\$612.33	8
Hoblit HB355N	12.6%	67.0	8.4	69.4	\$624.48	3
Pioneer 93M61	12.8%	64.9	6.1	67.1	\$604.23	12
Tester - Pioneer 92M10	12.6%	58.8				
Asgrow 3602	12.1%	66.5	7.7	68.7	\$618.63	6
Wilken 3434N	12.0%	66.7	7.7	68.7	\$618.18	7
Horizon 356N	12.5%	67.5	8.2	69.2	\$623.13	4
Tester - Pioneer 92M10	12.6%	59.3				
G.H. NK S37-P5	12.2%	68.3	9.0	70.0	\$630.33	1
Asgrow 3705	12.2%	62.3	2.4	63.4	\$570.48	22
Horizon 378N	11.9%	65.7	5.1	66.1	\$595.23	15
Tester - Pioneer 92M10	12.3%	60.6				
Wilken 3488N	12.3%	63.0	0.4	61.4	\$552.48	27
G. H. NK S39-A6	12.5%	64.0	1.4	62.4	\$561.48	24
Tester - Pioneer 92M10	12.9%	64.7				
Pioneer 93M10 Average	12.9%	61.0		61.0	\$549.33	28
<b>Tester Maximum</b>	13.5%	64.7				
<b>Tester Minimum</b>	12.3%	58.5				
<b>Tester Variance</b>	1.2%	6.2				
<b>Plot Average</b>	12.8%	64.0				

© 2007 Heartland Bank and Trust Company